



MK03 & MK04

Effortless stripping of outer insulation, semi bonded screens and removal of aluminum, lead and copper cladding.

- Heavy Duty Construction
- End & Mid-span Stripping
- Circumferential, Longitudinal
 & Spiral Cut

Technical Specifications:

MK03:

Capacity: 15mm – 36mm Diameter

Dimensions: 73 x 35 x 210mm

Weight: 520gms

MK04:

Capacity: 20mm - 60mm Diameter

Dimensions: 95 x 42 x 250mm

Weight: 680gms



AWM Weidner Kettemerstr. 25 70794 Filderstadt Tel.: 0049 711 7009503 Fax: 0049 711 7009504 info@awm-weidner.de



Cable Strippers

This range of cable stripping tools has been specially designed to remove insulation from large diameter cables and meet all requirements of heavy duty industrial and installation usage.



These tools are equally effective for mid-span and end stripping as well as for circumferential, longitudinal or in a spiral as required by simply twisting the cutting head into predetermined index positions.





There are two type of cartridges:

The fixed cutting blade cartridge (FC2 & FC3), which can be adjustable for cutting depth. The 'V' shaped blade on this cartridge is mostly suitable for the removal the outer PVC, rubber similar insulations.





The rotary wheel blade cartridges (WC1 & WC2) which are capable of removing aluminium, lead and copper cladding, and

aluminium and lead braiding. They have a predetermined fixed depth of cut which makes them also suitable for the removal of the semi-bonded screen from a variety of cables. There is a complete range of standard wheel cutting cartridges with cutting depths ranging from 1.2 to 4.0mm in step of 0.2mm. Other deoths can be supplied on request.

The MK03 is supplied with one FC2 fixed cutting blade cartridge .

The MK04 is supplied with one FC2 & one FC3 fixed cutting blade cartridge to cover the MK04 capacity range.

FC2 cartridge (Shortest) -for cables diameter 40 - 60mm.
FC3 cartridge (Longest) - for cable diameters 20 - 40mm.



Rotary wheel blade cartridges (WC1 & WC2) supplied optionally on request.

The tools are supplied in a standard carton box with complete operating instructions.

Can be optionally supplied in a smart carry case upon request.

 Spares:
 Cat. No. 06603

 Fixed blade Stried blade cartridge (FC2)
 Cat. No. 06601

 Fixed blade cartridge (FC3)
 Cat. No. 06605

 Rotary wheel cartridge (WC1/depth)
 Cat. No. 0602011

 Rotary wheel cartridge (WC2/depth)
 Cat. No. 0660201



