

HOTMARKER®

B2000 *series*

COMPACT HOT STAMPING MACHINE
FOR PLASTIC APPLICATIONS



CTK CORPORATION


Compact hot-stamping machine for resin materials
Long-lasting markings obtainable with simple operation
Identification solutions for a variety of applications

(wiring harnesses, cable assemblies, etc. as shown below)

Marked Samples



Electric wires
Optic fibers



Connectors



Cable ties



Control cables



Molded parts



Sheet materials

Model B200P

Pneumatic controlled
Legible markings are obtainable constantly
Suitable for large volume markings



Photo: B200P with optional head unit G

Model B200M

Manually operated
Easy operation – just press down the handle
Suitable for small lot markings




Photo: B200M with optional head unit G

■ Marking head unit

Different types of marking head unit options to accommodate various applications



● Head unit G
(character wheel system)



● Head unit T
(type setting system)

■ Customization

We can customize B200 series to your specific application. Please provide us with your material samples and consult with us about your marking requirements.

SPECIFY MARKING REQUIREMENTS



SEND US YOUR APPLICATIONS



TRIAL MARKING



EVALUATE MARKED SAMPLES

B200 EXAMPLE SPECIFICATIONS

	MODEL	
	B200Pe-A1G12	B200Me-B1G7
METHOD OF MARKING	HOT STAMPING	
MODE OF OPERATION	PNEUMATIC	MANUALLY OPERATED
CHARACTER SIZE	*2.4(H) x 2.4(W)mm	
CHARACTER PITCH	*3.0mm	
NUMBER OF WHEELS	12 pcs.	7 pcs.
CHARACTER FACETS	*40 facets engraved with capital alphabet letters (A - Z), numerals (0 - 9), signs (+, -, /, .) and a blank space.	
TYPE OF FACET	*FLAT	
HEATER WATTAGE	200W	100W
DIMENSIONS	290(W) x 330(D) x 390(H)mm	260(W) x 290(D) x 360(H)
NET WEIGHT	19 KGS	11 KGS

* The above specifications may change to meet requirements from a customer.



**PRECAUTIONS TO
ENSURE SAFETY**



Before using the machine, be sure to read the Instruction manuals and understand the proper usage of the machine.

Actual color of the products may look slightly different to the photographs in this leaflet.

The information contained in this leaflet, specifications and external appearance are subject to change without notice.

HOTMARKER®

MANUFACTURER
CTK CORPORATION

1-7-17, Kandaizumi-cho,
Chiyoda-ku, Tokyo 101-0024
Japan

Tel: +81-3-3861-5610

Fax: +81-3-3861-5880

<http://www.hotmarker.co.jp>

Printed in Japan 9X0D