





Product

PMP 4080



PMP-4080 is a tool frame for interchangeable crimp dies for modular plug connectors, PMP-4080 dies. The user can cover several modular connectors in just one tool frame.

- High strength, through hardened alloy steel construction
- Full cycle crimp mechanism to ensure consistent, reliable crimp
- Ratchet release mechanism to clear miscrimps and obstructions
- Precision eccentric adjustment for
- consistent performance and ability to calibrate

 Each tool has a unique serial number for traceability.

The part number is a reference to the frame without dies.

TECHNICAL DATA Length: 200 mm/r.87" Width: 26 mm/r.02" Height: 164 mm/6.46" Weight: 430 gr/6.46 ib Description: Tool frame for PMP-4080 die sets, modular plug Life span, cycles: 50,000

> AWM Weidner Kettemerstr. 25 70794 Filderstadt Tel.: 0049 711 7009503 Fax: 0049 711 7009504 info@awm-weidner.de www.awm-weidner.de



PMP4080/ D- RJ 11

PMP-4080 Die set for modular plug connectors 6/6, 6/4, 6/2. This is one of the

interchangeable crimp die sets for the PMP-4080 frame. The user can cover several modular plug connectors in just one tool frame.

- High strength, through hardened alloy steel construction
- Full cycle crimp mechanism to ensure consistent, reliable crimp
- Ratchet release mechanism to clear miscrimps and obstructions
- Precision eccentric adjustment for consistent performance and ability to calibrate
- Each tool has a unique serial number for traceability

The part number is a reference to the die set without frame.

Following dies are also available:



DIE PROFILE

TECHNICAL DATA Length: 22 mm/0.87* Width: 30 mm/1.18* Height: 35 mm/1.3; Height: 35 mm/1.3; Crimp dimensions mm/ mm²; D- RJ 11 Crimp dimensions inch/ AWG: D- RJ 11 Connector: Modular plug Description: 66, 64, 62 Life span, cybes: 50,000



PMP4080/ D- R I 22

PMP-4080 Die set for modular plug connectors 4/4, 4/2. This is one of the interchangeable crimp

die sets for the PMP-4080 frame. The user can cover several modular plug connectors in just one tool frame.

- High strength, through hardened alloy steel construction
- Full cycle crimp mechanism to ensure consistent, reliable crimp
- Ratchet release mechanism to clear miscrimps and obstructions
- Precision eccentric adjustment for consistent performance and ability to calibrate
- Each tool has a unique serial number for traceability



DIE PROFILE

TECHNICAL DATA Length: 22 mm0 87" Width: 30 mm1, 18" Height: 33 mm1, 3" Weight: 75 gr0.17 lb Crimp dimensions mm mm2; D-RJ 22 Connector: Modular plug Description: 4/4, 4/E Life span, cycles: 50,000



The part number is a reference to the die set without frame.

Following dies are also available:



PMP4080/ D- RJ 45

PMP-4080 Die set for modular plug connectors 8/8, 8/6, 8/4. This is one of the

interchangeable crimp die sets for the PMP-4080 frame. The user can cover several modular plug connectors in just one tool frame.

- High strength, through hardened alloy steel construction
- Full cycle crimp mechanism to ensure consistent, reliable crimp
- Ratchet release mechanism to clear miscrimps and obstructions
- Precision eccentric adjustment for consistent performance and ability to calibrate
- Each tool has a unique serial number for traceability

The part number is a reference to the die set without frame.

Following dies are also available:



DIF PROFILE

TECHNICAL DATA Length: 22 mm/0.87* Width: 30 mm/1.18* Height: 33 mm/1.3* Weight: 75 gm/0.17 lb Crimp dimensions mm/ mm²: D- RJ 45 Crimp dimensions inch/ AWG: D- RJ 45 Connector: Modular plug Description: 8/8, 8/6, 8/4 Life span. cyber: 50.000



PMP4080/ D- R I 45- II

PMP-4080 Die set for modular plug connectors 8/8, 8/6, 8/4 (UNKEYED). This is one of the

interchangeable crimp die sets for the PMP-4080 frame. The user can cover several modular plug connectors in just one tool frame.

- High strength, through hardened alloy steel construction
- Full cycle crimp mechanism to ensure consistent, reliable crimp
- Ratchet release mechanism to clear miscrimps and obstructions



DIE PROFILE



TECHNICAL DATA Length: 22 mm/0.87* Width: 30 mm/1.18* Height: 33 mm/1.3* Weight: 75 gm/1.71 bc Crimp dimensions mm/ mm²: Dr. RJ 45: U Crimp dimensions inch/ AWG: Dr. RJ 45: U Connector: Modular plug Description: 88, 8(6, 8/4 (UNKCYED) Life span, cycles: 50,000

- Precision eccentric adjustment for consistent performance and ability to calibrate
- Each tool has a unique serial number for traceability

The part number is a reference to the die set without frame.

Following dies are also available:



PMP4080/ D-10 POS

PMP-4080 Die set for modular plug connectors, 10 positions. This is one of the

interchangeable crimp die sets for the PMP-4080 frame. The user can cover several modular plug connectors in just one tool frame.

- High strength, through hardened alloy steel construction
- Full cycle crimp mechanism to ensure consistent, reliable crimp
- Ratchet release mechanism to clear miscrimps and obstructions
- Precision eccentric adjustment for consistent performance and ability to calibrate
- Each tool has a unique serial number for traceability

The part number is a reference to the die set without frame.

Following dies are also available:



DIE PROFILE

TECHNICAL DATA
Length: 22 mm/0.87*
Width: 30 mm/1.18*
Height: 33 mm/1.18*
Height: 37 mm/1.3*
Weight: 75 gr/0.17 ib
D-10 POS
Crimp dimensions mn/ mm²:
D-10 POS
Crimp dimensions inch/ AWG:
D-10 POS
Connector: Modular plug
Description: 10 positions
Life span, cybes: 50,000





PMP4080/ D- MMJ

PMP-4080 Die set for modular plug connectors, DEC MMJ, with offcenter locking tab. This is one

of the interchangeable crimp die sets for the PMP-4080 frame. The user can cover several modular plug connectors in just one tool frame.

- High strength, through hardened alloy steel construction
- Full cycle crimp mechanism to ensure consistent, reliable crimp
- Ratchet release mechanism to clear miscrimps and obstructions
- Precision eccentric adjustment for consistent performance and ability to calibrate
- Each tool has a unique serial number for traceability

The part number is a reference to the die set without frame.

Following dies are also available:



DIE PROFILE

TECHNICAL DATA Length: 22 mm/0.87 Width: 30 mm/1.18* Height: 33 mm/1.3* Weight: 75 g070.77 ib Crimp dimensions mm/ mm²: D-MMU Crimp dimensions inch/ AWG: D-MMU Connector: Modular plug Description: DEC MMJ with offcerter locking tab. Life span. cycles: 50,000

